

#### Republic of the Philippines OFFICE OF THE PRESIDENT NATIONAL IRRIGATION ADMINISTRATION REGIONAL OFFICE NO. V (BICOL REGION)



#### March 3, 2025

#### **REQUEST FOR QUOTATION**

Supply and Delivery of ICT Equipment and Office Equipment for COA at NIA Regional Office 5, Naga City PR No.: 2025-02-0036 Quotation/Bid No. MOOE(24)-RO-015-25

decision and the second and the s

The MANAGER 3GX COMPUTER & I.T. SOLUTIONS TECHNOSHOP Elias Angeles St., Naga City

#### Sir/Madam;

Please quote your lowest price on a CHARGE BASIS for the job/items listed below the space provided and drop this FORM duly accomplished, SEALED and addressed to the BAC Chairperson at the bidding box located at NIA Regional Office 5 Conference Room, Panganiban Drive, Naga City not later than 9:10 AM of March 7, 2025 with an ABC of # 116,000.00 after which bids will be publicly opened using the RIRR of RA 9184 otherwise known as Government Procurement Act and the Philippine Bidding Documents (PBD).

We presume your offer is NEW as specified below unless otherwise indicated. Price quotation must be firm and valid for at least thirty (30) days from the opening of bids. NIA reserves the right to reject any or all bids, to waive any minor defect/s or informalities herein and to make such award most advantageous to NIA.

TERMS and CONDITIONS:

- 1. All entries must be type written or legibly written.
- Delivery period within 60 CD upon receipt of approved purchase order. Admin penalties pursuant to Sec. 69 of the RIRR of 9184 shall be imposed for non-delivery without valid reason.
- Warranty shall be for a minimum of 3 months for supplies, materials, one year for equipment from date of acceptance.
- 4. Documentary requirements shall be attached upon submission of quotation.
- 5. All items shall be procured as "one lot".
- Liquidated Damages pursuant to Sec. 68 of the RIRR of RA 9184 shall be imposed for non-delivery without valid reason.
- 7. Performance bond: Yes \_\_\_\_; No 🖌
- 8. Incomplete Quotation shall be declared non-responsive.

Mode of Procurement: Small Value Procurement

#### **Documentary Requirements:**

- 1. PhilGEPS Registration Number or Certificate.
- 2. Updated Mayor's Permit
- 3. Notarized Omnibus Sworn Statement (Prescribed Form)
- 4. Income Business Tax Return (For ABCs 500,000.00 above).
- 5. Notarized Secretary's Certificate (for Corporation).



BRAND/ UNIT ITEM & DESCRIPTION OTY UNIT TOTAL PRICE MODEL PRICE DESKTOP COMPUTER 1. Specs: o Processor: Intel Core i7 13th Generation 16C/24T o Memory: 8GB DDR4 o Chipset: Intel H610 o Graphics: Integrated Intel UHD 770 Graphics o Display: 23.8-inch FHD IPS 100Hz o Storage: 256GB NVMe SSD + 1TB 7200rpm HDD o Accessories: Wired Keyboard and Wired Mouse (Same Brand) unit 1 o Network: Wireless LAN 802.11 ac/b/g/n, Gigabit Ethernet, **Bluetooth 5.0** o Front Ports: 1x Card Reader; 2x Audio Jack; 1x USB 3.2 Gen1 Type A; 1x USB 3.2 Gen 1 Type C o Rear Ports: 2x HDMI; 3x Audio Jack; 4x USB 2.0 Ports; 1x USB 3.2 Gen1 Type A o Included Software: Windows 11, Licensed Microsoft Office o with 650VA Uninterruptible Power Supply (UPS)

Panganiban Drive, Naga City, Camarines Sur, Philippines Telephone No.: (054) 871-5611 • Telefax No.: (054) 871-5604 Email r5@nia.gov.ph • Website: www.region5.nia.gov.ph • TIN: 000916415116 NIA-RO V-AFD-ADM-INT-Form34 Rev06



Master Doc ID:

## .

· 1

# OFFICE OF THE PRESIDENT NATIONAL IRRIGATION ADMINISTRATION REGIONAL OFFICE NO. V (BICOL REGION)



Reverse polarity detection     Charges 1-2 NiMH AA or AAA batteries at a time     Includes 2pcs. AA Rechargeable Battery      AA Rechargeable Batteries     1 pack (2 pcs.) AA Form Factor     2000mAh Pre-Charged Battery      Ergonomic Office Chair     Features: upper-flexible nylon inner frame that twists with your     body and a 3D dynamic backrest that provides optimal support     for the ultimate sitting experience     Specs:         -4D adjustable armrests         -Lumbar support         -Multi-function mechanism with back-recline and tilt-lock     feature (locks at 4 different angles)         -Seat-sliding function         -2D adjustable headrest         -125 kg load capacity      B. Dehumidifier Machine			
o Caps lock indicator light     Ut       o Num lock indicator light     Ut       o Up to 10 million keystrokes (excludes number lock key)     Key type: Deep profile       o Connection: USB     Uts StovA       o MAX CONFIGURABLE FOWER (Wath): 375 Watts / 650VA     OUTPUT TREQUENCY (Sync to mains): 50/60 Hz +/-1 Hz       Unsynchronised     OUTPUT CONNECTION TYPE: 4 Universal Receptacle     OUTPUT TREQUENCY (Sync to mains): 50/60 Hz +/-1 Hz       0 NUT FREQUENCY: S0/60 Hz +/-5 Hz Auto-sensing     Utr       0 INPUT YOUTAGE RANGE FOR MAIN OPERATIONS: 170 - 280V     NUMBER OF POWER CORDS: 1       0 BATTERY TYPE: Lead-acid battery     OTYPICAL RECHARGE TIME: 8 hour(s)       0 TYPICAL RECHARGE TIME: 8 hour(s)     ONMINAL BATTERY VOLTAGE: 12 V       0 BATTERY OPE: Load-acid battery     OERPECTED BATTERY UFE: 3 - 5 years       4. Wireless Mouse     Operating Range: 10-15m       0 Ergonomic Design: Symmetric     O Sensor: Optical       0 Report Rate: 125H2     Utr       0 Buttons No: 3     Battery       0 NetWeight: 83 g (w/ battery)     O System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10       0 Accessories: 2-slot AA Battery Charger with 1 pc. AA       Rechargeable Battery       5. Battery Charger       - LED chargende Battery       - LED chargende Battery       - AA Rechargeable Batteries       - LD charging status indicators       - Automatic swi			
<ul> <li>O Corp. Indition Nerget Trokes (excludes number lock key)</li> <li>O Key type: Deep profile</li> <li>O Connection: USB</li> <li>UPS 650VA</li> <li>O MAX CONFIGURABLE POWER (Watts): 375 Watts / 650VA</li> <li>O OUTPUT FREQUENCY (Sync to mains): 50/60 Hz +/- 1 Hz</li> <li>Unsynchronised</li> <li>O OUTPUT CONNECTION TYPE: 4 Universal Receptacle</li> <li>O TOPOLOGY: Une Interactive</li> <li>O INPUT FREQUENCY: 50/60 Hz +/- 5 Hz Auto-sensing</li> <li>O INPUT FREQUENCY: 50/60 Hz +/- 5 Hz Auto-sensing</li> <li>O INPUT VOLTAGE TANGE FOR MAIN OPERATIONS: 170 - 280V</li> <li>O NUMBER OF POWER CORDS: 1</li> <li>O BATTERY TYPE: Lead-acid battery</li> <li>O TYPICAL RECHARGE TIME: B hour(s)</li> <li>O NOMINAL BATTERY VOLTAGE: 12 V</li> <li>O BATTERY CAPCITY: 7.0 Ah</li> <li>O EXPECTED BATTERY UFE: 3 - 5 years</li> <li>4. Wireless Mouse</li> <li>O Type: Wireless</li> <li>O Connection: 2.4 GHz</li> <li>O Operating Range: 10-15m</li> <li>O Ergonomic Design: Symmetric</li> <li>O Senso: Optical</li> <li>O Resolution: 1200 DPI</li> <li>Resolution: 1200 DPI</li> <li>Report Rate: 125Hz</li> <li>O Battery: 1 AA Alkaline Battery</li> <li>O Net Weight:B3 g (w/ battery)</li> <li>O System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10</li> <li>O Accessories: 2-slot AA Battery Charger with 1 pc. AA</li> <li>Rechargeable Battery</li> <li>S. Battery Charger</li> <li>I.ED charging status indicators</li> <li>- Automatic switch-off</li> <li>Reverse polarity detection</li> <li>- Charges 1-2 NIMH AA or AAA batteries at a time</li> <li>- Includes 2pcs. AA Rechargeable Battery</li> <li>C AA Rechargeable Battery</li> <li>C</li></ul>			
o Up to 10 million keystrokes (excludes number lock key)       o Key type: Deep profile         o Connection: USB       o         a UPS 650VA       o MAX CONFIGURABLE POWER (Watts): 375 Watts / 650VA         o OUTPUT FREQUENCY (Sync to mains): 50/60 Hz 4/- 1 Hz         Unsynchronised       o OUTPUT FREQUENCY 50/60 Hz 4/- 5 Hz Auto-sensing         o INPUT FREQUENCY: 50/60 Hz 4/- 5 Hz Auto-sensing       Ur         o INPUT FREQUENCY: 50/60 Hz 4/- 5 Hz Auto-sensing       Ur         o INPUT FREQUENCY: 50/60 Hz 4/- 5 Hz Auto-sensing       Ur         o INPUT FREQUENCY: 50/60 Hz 4/- 5 Hz Auto-sensing       Ur         o INPUT FREQUENCY: 50/60 Hz 4/- 5 Hz Auto-sensing       Ur         o NUMER COR DOWER CORDS: 1       0 BATTERY DUTAGE RANGE TIME: 8 hour(s)         o NOMINAL BATTERY VOLTAGE: 12V       0 BATTERY CAPCITY: 7.0 Ah         o EXPECTED BATTERY LIFE: 3 – 5 years       4.         Mureless Mouse       0 Type: Wireless         o Type: Wireless       0 Connection: 2.4GHz         o O NOMINAL BATTERY LIFE: 3 – 5 years       Ur         o Report Rate: 125Hz       Ur         o Buttons No.: 3       0 Receiver: Nano USB Receiver         o Sensor: Optical       0 Receiver: Nano USB Receiver         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10       0 Accessories: 2-slot AA Battery         o System Requ	nit 7		
o Key type: Deep profile         o Connection: US8         3. UPS 650VA         o MAX CONFIGURABLE POWER (Watts): 375 Watts / 650VA         o OUTPUT TREQUENCY (Sync to mains): 50/60 Hz 4/-1 Hz         Unsynchronised         o OUTPUT CONNECTION TYPE: 4 Universal Receptacle         o TOPOLOGY: Line Interactive         o INPUT FREQUENCY: 50/60 Hz 4/-5 Hz Auto-sensing         urr FREQUENCY: 50/60 Hz 4/-5 Hz Auto-sensing         o INPUT VOLTAGE RANGE FOR MAIN OPERATIONS: 170 - 280V         o NUMBER OF POWER CORDS: 1         o BATTERY TYPE: Lead-acid battery         o TYPICAL RECHARGE TIME: 8 hour(s)         o NOMINAL BATTERY VOLTAGE: 12 V         o BATTERY CAPCITY: 7.0 Ah         o EXPECTED BATTERY ULFE: 3 – 5 years         4. Wireless Mouse         o Type: Wireless         o Connection: 2.4 GHz         o Operating Range: 10-15m         o Ergonomic Design: Symmetric         o Senso: Optical         o Resolution: 1200 DPI         o Receiver: Nano USB Receiver         o Battery: 1AA Alkaline Battery         o Net Weight:83 g (w/ battery)         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         o Accessories: -2-siot AA Battery Charger with 1 pc. AA         Rechargeable Battery         . Battery Chargee<	nit 7		
o Connection: USB         JUPS 650VA         o MAX CONFIGURABLE POWER (Watts): 375 Watts / 650VA         o OUTPUT FREQUENCY (Sync to mains): 50/60 Hz 4/- 1 Hz         Unsynchronised         o OUTPUT CONNECTION TYPE: 4 Universal Receptacle         o TOPOLOGY: Une Interactive         o INPUT REQUENCY: 50/60 Hz 4/- 5 Hz Auto-sensing         UNIV OUTAGE RANGE FOR MAIN OPERATIONS: 170 - 280V         o NUMBER OF POWER CORDS: 1         o BATTERY TYPE: Lead-acid battery         o TYPICAL RECHARCE TIME: 8 hour(s)         o NOMINAL BATTERY VOLTAGE: 12 V         o BATTERY TYPE: Lead-acid battery         o TYPICAL RECHARCE TIME: 8 hour(s)         o NOMINAL BATTERY VOLTAGE: 12 V         o BATTERY CAPCITY: 7.0 Ah         o Exponentic Design: Symmetric         o Sensor: Optical         o Report Rate: 125Hz         utions No: 3         o Receiver: Nano USB Receiver         o Battery: 1 AA Alkaline Battery         o Netweight: 53 g (w/b battery)         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         o Accessories: 2-siot AA Battery Charger with 1 pc. AA         Rechargeable Battery         5. Battery Charger         6. AA Rechargeable Battery         7. Ergonomic Offlex Chair         Features: upper-flexible my	nit 7		
3.       UPS 650VA         o MAX CONFIGURABLE POWER (Watts): 375 Watts / 650VA         o OUTPUT FREQUENCY (Sync to mains): 50/60 Hz 4/- 1 Hz         Unsynchronised         o OUTPUT FREQUENCY: S0/60 Hz 4/- 5 Hz Auto-sensing         o INPUT FAEQUENCY: S0/60 Hz 4/- 5 Hz Auto-sensing         o INPUT FAEQUENCY: S0/60 Hz 4/- 5 Hz Auto-sensing         o INPUT FAEQUENCY: S0/60 Hz 4/- 5 Hz Auto-sensing         o INPUT FAEQUENCY: S0/60 Hz 4/- 5 Hz Auto-sensing         o NUMBER OF POWER CORDS: 1         o BATTERY TOPTS: Lead-acid battery         o TYPICAL RECHARGE TIME: 8 hour(s)         o NOMINAL BATTERY VOLTAGE: 12 V         o BATTERY CAPCITY: 7.0 Ah         o EXPECTED BATTERY LIFE : 3 – 5 years         4.         Wireless         o Connection: 2.4GHz         o Operating Range: 10-15m         o Eregonomic Design: Symmetric         o Sensor: Optical         o Resolution: 1200 DPI         o Receiver: Nano USB Receiver         o Buttons No.: 3         o Receiver: Nano USB Receiver         o Buttery: 1AA Alkaline Battery         o Net Weight:B3 g (w/b battery)         o Net Weight:B3 g (w/b battery)         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         o Accesories: 2-slot AA Battery Charger with 1 pc. AA	sit 7		
o MAX CONFIGURABLE POWER (Watts): 375 Watts / 650VA         o OUTPUT FREQUENCY (Sync to mains): 50/60 Hz +/- 1 Hz         Unsynchronised         o OUTPUT CONNECTION TYPE: 4 Universal Receptacle         o TOPOLOGY: Line Interactive         o INPUT FREQUENCY (Sync to mains): 50/60 Hz +/- 5 Hz Auto-sensing         UIT         o INPUT VOLTAGE RANGE FOR MAIN OPERATIONS: 170 - 280V         o NUMBER OF POWER CORDS: 1         o BATTERY TYPE: Lead-acid battery         o TYPICAL RECHARGE TIME: 8 hour(s)         o NOMINAL BATTERY VOLTAGE: 12V         o BATTERY CAPCITY: 7.0 Ah         o ExpectreD BATTERY LIFE : 3 - 5 years         4. Wireless Mouse         o Type: Wireless         o Connection: 2.4GHz         o Operating Range: 10-15m         o Ergonomic Design: Symmetric         o Sensor: Optical         o Report Rate: 125Hz         uittons No: 33         o Receiver: Nano USB Receiver         o Battery: 1 AA Alkaline Battery         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         o Accessories: 2-slot AA Battery Charger with 1 pc. AA         Rechargeable Battery         S Battery Charger         - LED charging status indicators         - Automatic switch-off         - Reverse polarity detection </td <td>sit 7</td> <td></td> <td></td>	sit 7		
o OUTPUT FREQUENCY (Sync to mains): 50/60 Hz +/- 1 Hz         Unsynchronised         o OUTPUT CONNECTION TYPE: 4 Universal Receptacle         o TOPOLOGY: Line Interactive         o INPUT FREQUENCY: 50/60 Hz +/- 5 Hz Auto-sensing         University         O INPUT VOLTAGE RANGE FOR MAIN OPERATIONS: 170 - 280V         o NUMBER OF POWER CORDS: 1         o BATTERY TYPE: Lead-add battery         o TYPICAL RECHARGE TIME: 8 hour(s)         o NOMINAL BATTERY VOLTAGE: 12 V         o BATTERY CAPCITY: 7.0 Ah         o EXPECTED BATTERY LIFE: 3 – 5 years         4.         Wireless         o Connection: 2.4GHz         o Operating Range: 10-15m         o Ergonomic Design: Symmetric         o Sensor: Optical         o Report Rate: 125Hz         uit         o Buttons No.: 3         o Receiver: Nano USB Receiver         o Battery: 1 AA Alkaline Battery         o Not Weight:83 g (w/ battery)         o Stem Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         o Accessories: 2-slot AA Battery Charger with 1 pc. AA         Rechargeable Battery         5.         Battery Charger         - LED charging status indicators         - Automatic switch-off         - Reverse polarity det	nit 7		
Unsynchronised       0 UTFUT CONNECTION TYPE: 4 Universal Receptacle       0 TOPOLGS: Une Interactive         0 INPUT FREQUENCY: 50/60 Hz +/- 5 Hz Auto-sensing       Un         0 INPUT VOLTAGE RANGE FOR MAIN OPERATIONS: 170 - 280V       0 NUMBER OF POWER CORDS: 1         0 BATTERY TYPE: Lead-acid battery       0 TYPICAL RECHARGE TIME: 8 hour(s)       0 NOMINAL BATTERY VOLTAGE: 12 V         0 BATTERY COLTAGE: 12 V       0 BATTERY COLTAGE: 12 V       0 BATTERY COLTAGE: 12 V         0 COnnection: 2.4GHz       0 Operating Range: 10-15m       0 Ergonomic Design: Symmetric         0 Sensor: Optical       0 Report Rate: 125Hz       Un         0 Battery: 1 AA Alkaline Battery       0 Battery)       0 System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         0 Accessories: 2-slot AA Battery Charger with 1 pc. AA       Rechargeable Battery)       0 System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         0 Accessories: 2-slot AA Battery Charger with 1 pc. AA       Rechargeable Battery       0         5. Battery Charger       - LED charging status indicators       - AA Rechargeable Battery       0         6. AA Rechargeable Batteries       - 1 pack (2 pc.s.) AA Fort Factor       Un       - 2 pack (2 pc.s.) AA Fort Factor       Un         7. Ergonomic Office Chair       Features: upper-flexible nylon inner frame that twists with your body and a 30 dynamic backerest that provides optimal support for the ultimate sitting experience	nit 7		
o OUTPUT CONNECTION TYPE: 4 Universal Receptade         o TOPOLOGY: Line Interactive         o INPUT FREQUENCY: 50/60 Hz 4/- 5 Hz Auto-sensing         Un         o NUMBER OF POWER COROS: 1         o BATTERY TYPE: Lead-acid battery         o TYPCAL RECHARGE TIME: 8 hour(s)         o NOMINAL BATTERY VOLTAGE: 12 V         o BATTERY TYPE: Lead-acid battery         o TYPCAL RECHARGE TIME: 8 hour(s)         o NOMINAL BATTERY VOLTAGE: 12 V         o BATTERY CAPCITY: 7.0 Ah         o Connection: 2.4GHz         o Operating Range: 10-15m         o Ergonomic Design: Symmetric         o Sensor: Optical         o Recolver: Nano USB Receiver         o Battery: 1 AA Alkaline Battery         o Net Weight:83 g (w/ battery)         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         o Accessories: 2-slot AA Battery Charger with 1 pc. AA         Rechargeable Battery         S Battery Charger         - LED charging status indicators         - A Rechargeable Batteries         - 1 pack (2 pcs.) AA Form Factor         - 2000mAh Pre-Charged Battery         6. AA Rechargeable Batteries         - 1 pack (2 pcs.) AA Form Factor         - 2000mAh Pre-Charged Battery         7. Ergonomic Office Chair	nit 7		
o TOPOLOGY: Une Interactive       Un         o INPUT VOLTAGE RANGE FOR MAIN OPERATIONS: 170 - 280V       Un         o NUMBER OF POWER CORDS: 1       0         o BATTERY TYPE: Lead-acid battery       0         o TYPICAL RECHARGE TIME: 8 hour(s)       0         o NOMINAL BATTERY VOLTAGE: 12 V       0         o BATTERY CAPCITY: 7.0 Ah       0         c EXPECTED BATTERY UFF : 3 - 5 years       0         4. Wireless Mouse       0         o Type: Wireless       0         o Connection: 2.4GHz       0         o Beroft Rate: 125Hz       Un         o Buttons No.: 3       0         o Buttons No.: 3       0         o Receiver: Nano USB Receiver       0         o Buttons No.: 3       0         o Receiver: Nano USB Receiver       0         o Buttons No.: 3       0         o Receiver: Nano USB Receiver       0         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10       0         o Accessories: 2-slot AA Battery Charger with 1 pc. AA       Rechargeable Battery         5. Battery Charger       - LED charging status indicators         - Automatic switch-off       Un         - Charges 1-2 NIM HAA or AAA batteries at a time       - Includes 2pcs. AA Rechargeable Battery	nit 7		
o INPUT FREQUENCY: 50/60 Hz +/- 5 Hz Auto-sensing       Universe in the intervention of the interventintervention of the intervention of the inter	nit 7		
o INPUT VOLTAGE RANGE FOR MAIN OPERATIONS: 170 - 280V       or         o NUMBER OF POWER CORDS: 1       or         o BATTERY TYPE: Lead-acid battery       or         o TYPICAL RECHARGE TIME: 8 hour(s)       or         o NOMINAL BATTERY VOLTAGE: 12 V       or         o BATTERY CAPCITY: 7.0 Ah       or         o EXPECTED BATTERY UFFE: 3 – 5 years       or         4. Wireless Mouse       or         o Type: Wireless       or         o Connection: 2.4GHz       or         o Derating Range: 10-15m       or         o Ergonomic Design: Symmetric       or         o Sensor: Optical       or         o Receiver: Nano USB Receiver       or         o Battery: 1AA Alkaline Battery       or         o Net Weight:83 g (w/ battery)       or         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10       or         o Accessories: 2-slot AA Battery Charger with 1 pc. AA       Rechargeable Battery         . Eattery Charger       .       .         . ELD charging status indicators       .       .         - Automatic switch-off       .       .         . Eattery Charger       .       .         . Dark (2 pc.) AA Form Factor       .       .         . Dark (2 pc.) A			
o NUMBER OF POWER CORDS: 1     o BATTERY TYPE: Lead-acid battery     o TYPICAL RECHARGE TIME: 8 hour(s)     o NOMINAL BATTERY VOLTAGE: 12 V     o BATTERY CAPCITY: 7.0 Ah     o EXPECTED BATTERY LIFE : 3 – 5 years     d. Wireless Mouse     o Type: Wireless     o Connection: 2.4GHz     o Operating Range: 10-15m     o Ergonomic Design: Symmetric     o Sensor: Optical     o Resolution: 1200 DPI     o Report Rate: 125Hz     u     o ButtersN to USB Receiver     o BattersY in the statery     o Net Weight: 83 g (w/b attery)     o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10     o Accessories: 2-slot AA Battery Charger with 1 pc. AA     Rechargeable Battery     S. Battery Charger     - LED charging status indicators     - Automatic switch-off     Reverse polarity detection     - Charges 1-2 NIMH AA or AAA batteries at a time     - Includes 2pcs. AA Rechargeable Battery     f. Ergonomic Office Chair     Features: upper-flexible nyton inner frame that twists with your     body and a 3D dynamic backrest that provides optimal support     for the ultimate sitting experience     Specs:     - 4D adjustable armrests     - Lumbate sitting experience     Specs:     - 4D adjustable armrests     - Lumbate sitting experience     Specs:     - 4D adjustable armrests     - Lumbate sitting experience     Specs:     - 4D adjustable armrests     - Lumbate sitting experience     Specs:     - 4D adjustable armrests     - Lumbate sitting experience     Specs:     - 4D adjustable armrests     - Lumbate sitting experience     Specs:     - 4D adjustable armrests     - Lumbate sitting experience     Specs:     - 4D adjustable armrests     - Lumbate armrests     - Lumbate sitting experience     Specs:     - 4D adjustable armrests     - Lumbate sitting experience     Specs:     - 4D adjustable armrests     - Lumbate armrests     - Lumbate sitting experience     Specs:     - 4D adjustable armrests     - Lumbate sitting experience     Specs:     - 4D adjustable armrests     - Lumbate sitting experience     Specs:     - 4D adjustabl			
o BATTERY TYPE: Lead-acid battery         o TYPICAL RECHARGE TIME: 8 hour(\$)         o NOMINAL BATTERY VOLTAGE: 12 V         o BATTERY CAPCITY: 7.0 Ah         o EXPECTED BATTERY LIFE: 3 – 5 years         4. Wireless Mouse         o Type: Wireless         o Connection: 2.4GHz         o Operating Range: 10-15m         o Ergonomic Design: Symmetric         o Sensor: Optical         o Resolution: 1200 DPI         o Buttery: 1 AA Alkaline Battery         o Battery: 1 AA Alkaline Battery         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         o Accessories: 2-slot AA Battery Charger with 1 pc. AA         Rechargeable Battery         5. Battery Charger         - LED charging status indicators         - Automatic switch-off         - Reverse polarity detection         - Charges 1-2 NIMH AA or AAA batteries at a time         - Includes 2pcs. AA Rechargeable Battery         7. Ergonomic Office Chair         Features: upper-flexible nylon inner frame that twists with your         body and a 3D dynamic backreet that provides optimal support         for the ultimate sitting expreience         Specs:         - 4D adjustable armrests         - Lumbar support         - Multi-function mechanism with back-recline			
o TYPICAL RECHARGE TIME: 8 hour(s)         o NOMINAL BATTERY VOLTAGE: 12 V         o BATTERY CAPCITY: 7.0 Ah         o EXPECTED BATTERY LIFE : 3 – 5 years         4. Wireless Mouse         o Type: Wireless         o Connection: 2.4GHz         o Operating Range: 10-15m         o Ergonomic Design: Symmetric         o Sensor: Optical         o Resolution: 1200 DPI         o Receiver: Nano USB Receiver         o Battery: 1 AA Alkaline Battery         o Net Weight:83 g (w) battery)         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         o Accessories: 2-slot AA Battery Charger with 1 pc. AA         Rechargeable Battery         5. Battery Charger         - LED charging status indicators         - Automatic switch-off         - Reverse polarity detection         - Charges 1-2 NIMH AA or AAA batteries at a time         - Includes 2pcs. AA Rechargeable Battery         6. AA Rechargeable Battery         7. Ergonomic Office Chair         Features: upper-flexible nylon inner frame that twists with your         body and a 3D dynamic backrest that provides optimal support         for the ultimate sitting experience         Specs:         - 4D adjustable armrests         - Lumbar support <tr< td=""><td></td><td></td><td></td></tr<>			
o NOMINAL BATTERY VOLTAGE: 12 V         o BATTERY CAPCITY: 7.0 Ah         o EXPECTED BATTERY LIFE : 3 – 5 years         4. Wireless Mouse         o Type: Wireless         o Connection: 2.4GHz         o Operating Range: 10-15m         o Ergonomic Design: Symmetric         o Sensor: Optical         o Resolution: 1200 DPI         o Receiver: Nano USB Receiver         o Battery: 1 AA Alkaline Battery         o Net Weight:B3 g (w/ battery)         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         o Accessories: 2-slot AA Battery Charger with 1 pc. AA         Rechargeable Battery         S. Battery Charger         - LED charging status indicators         - Automatic switch-off         - Reverse polarity detection         - Charges 1-2 NIMH AA or AAA batteries at a time         - Includes 2pcs. AA Rechargeable Battery         6. AA Rechargeable Batteries         - 1 pack (2 pcs.) AA Form Factor         - 2000mAh Pre-Charged Battery         Features: upper-flexible nylon inner frame that twists with your         body and a 3D dynamic backrest that provides optimal support         for the ultimate sitting expreience         Specs:         - 4D adjustable armrests         - Lumbar support			
o EXPECTED BATTERY LIFE : 3 – 5 years         4. Wireless Mouse         o Type: Wireless         o Connection: 2.4GHz         o Operating Range: 10-15m         o Ergonomic Design: Symmetric         o Sensor: Optical         o Resolution: 1200 DPI         o Report Rate: 125Hz         u Buttons No.: 3         o Receiver: Nano USB Receiver         o Battery: 1 AA Alkaline Battery         o Net Weight:83 g (w/ battery)         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         o Accessories: 2-slot AA Battery Charger with 1 pc. AA         Rechargeable Battery         5. Battery Charger         - LED charging status indicators         - Automatic switch-off         - Reverse polarity detection         - Charges 1-2 NIMH AA or AAA batteries at a time         - Includes 2pcs. AA Rechargeable Battery         6. AA Rechargeable Batteries         - 1 pack (2 pcs.) AA Form Factor         - 2000mAh Pre-Charged Battery         7. Ergonomic Office Chair         Features: upper-flexible nylon inner frame that twists with your body and a 3D dynamic backrest that provides optimal support for the ultimate sitting experience Specs:         - 4D adjustable armrests         - Lumbar support       Ui         - Multi-function			
<ul> <li>4. Wireless Mouse <ul> <li>0 Type: Wireless</li> <li>0 Connection: 2.4GHz</li> <li>0 Operating Range: 10-15m</li> <li>0 Ergonomic Design: Symmetric</li> <li>0 Sensor: Optical</li> <li>0 Resolution: 1200 DPI</li> <li>0 Report Rate: 125Hz</li> <li>0 Buttons No: 3</li> <li>0 Receiver: Nano USB Receiver</li> <li>0 Battery: 1 AA Alkaline Battery</li> <li>0 Net Weight:83 g (w/ battery)</li> <li>0 System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10</li> <li>0 Accessorie: 2-slot AA Battery Charger with 1 pc. AA</li> <li>Rechargeable Battery</li> </ul> </li> <li>5. Battery Charger <ul> <li>LED charging status indicators</li> <li>Automatic switch-off</li> <li>Charges 1-2 NiMH AA or AAA batteries at a time</li> <li>Includes 2pcs. AA Rechargeable Battery</li> </ul> </li> <li>6. AA Rechargeable Batteries <ul> <li>1 pack (2 pcs.) AA Form Factor</li> <li>2000mAh Pre-Charged Battery</li> </ul> </li> <li>7. Ergonomic Office Chair <ul> <li>Features: upper-flexible nylon inner frame that twists with your body and a 3D dynamic backrest that provides optimal support for the ultimate sitting experience</li> <li>Specs: <ul> <li>4D adjustable armrests</li> <li>Lumbar support</li> <li>Multi-function mechanism with back-recline and tilt-lock feature (locks at 4 different angles)</li> <li>Seat-Silding function</li> <li>2D adjustable headrest</li> <li>125 kg load capacity</li> </ul> </li> </ul></li></ul>			
<ul> <li>o Type: Wireless</li> <li>o Connection: 2.4GHz</li> <li>o Operating Range: 10-15m</li> <li>o Ergonomic Design: Symmetric</li> <li>o Sensor: Optical</li> <li>o Resolution: 1200 DPI</li> <li>o Report Rate: 125Hz</li> <li>u o Buttons No.: 3</li> <li>o Receiver: Nano USB Receiver</li> <li>o Battery: 1 AA Alkaline Battery</li> <li>o Net Weight:83 g (w/ battery)</li> <li>o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10</li> <li>o Accessories: 2-slot AA Battery Charger with 1 pc. AA</li> <li>Rechargeable Battery</li> <li>5. Battery Charger</li> <li>- LED charging status indicators</li> <li>- Automatic switch-off</li> <li>- Reverse polarity detection</li> <li>- Charges 1-2 NIMH AA or AAA batteries at a time</li> <li>- Includes 2pcs. AA Rechargeable Battery</li> <li>6. AA Rechargeable Batteries</li> <li>- 1 pack (2 pcs.) AA Form Factor</li> <li>- 2000mAh Pre-Charged Battery</li> <li>7. Ergonomic Office Chair</li> <li>Features: upper-flexible nylon inner frame that twists with your body and a 3D dynamic backrest that provides optimal support for the ultimate sitting experience</li> <li>Specs:</li> <li>- 4D adjustable armrests</li> <li>- Lumbar support</li> <li>- Multi-function mechanism with back-recline and tilt-lock feature (locks at 4 different angles)</li> <li>- Seat-silding function</li> <li>- 2D adjustable headrest</li> <li>- 125 kg load capacity</li> </ul>			
o Connection: 2.4GHz       o Operating Range: 10-15m         o Ergonomic Design: Symmetric       o Sensor: Optical         o Resolution: 1200 DPI       o Report Rate: 125Hz         u Buttons No.: 3       o Receiver: Nano USB Receiver         o Battery: 1 AA Alkaline Battery       o Net Weight: B3 g (w/ battery)         o Net Weight: B3 g (w/ battery)       o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         o Accessories: 2-slot AA Battery Charger with 1 pc. AA         Rechargeable Battery         5. Battery Charger         - LED charging status indicators         - Automatic switch-off         - Reverse polarity detection         - Charges 1-2 NIMH AA or AAA batteries at a time         - Includes 2pcs. AA Rechargeable Battery         6. AA Rechargeable Batterles         - 1 pack (2 pcs.) AA Form Factor         - 2000mAh Pre-Charged Battery         7. Ergonomic Office Chair         Features: upper-flexible nylon inner frame that twists with your         body and a 3D dynamic backrest that provides optimal support         for the ultimate sitting experience         Specs:         - 4D adjustable armrests         - Lumbar support         - Multi-function mechanism with back-recline and tilt-lock         feature (locks at 4 different angles)         -			
o Operating Range: 10-15m         o Ergonomic Design: Symmetric         o Sensor: Optical         o Resolution: 1200 DPI         o Report Rate: 125Hz         u Buttons No.: 3         o Receiver: Nano USB Receiver         o Battery: 1 AA Alkaline Battery         o Net Weight:B3 g (w/ battery)         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         o Accessories: 2-slot AA Battery Charger with 1 pc. AA         Rechargeable Battery         5.       Battery Charger         - LED charging status indicators         - Automatic switch-off         - Reverse polarity detection         - Charges 1-2 NIMH AA or AAA batteries at a time         - Includes 2pcs. AA Rechargeable Battery         6.       AA Rechargeable Batteries         - 1 pack (2 pcs.) AA Form Factor       Ui         - 2000mAh Pre-Charged Battery         7.       Ergonomic Office Chair         Features: upper-flexible nylon inner frame that twists with your         body and a 3D dynamic backrest that provides optimal support         for the ultimate sitting experience         Specs:       - 4D adjustable armrests         - Lumbar support       Ui         - Multi-function mechanism with back-recline and tilt-lock         feature (locks at 4			
o Ergonomic Design: Symmetric         o Sensor: Optical         o Resolution: 1200 DPI         o Report Rate: 125Hz         u Buttons No.: 3         o Receiver: Nano USB Receiver         o Battery: 1 AA Alkaline Battery         o Net Weight:83 g (w/ battery)         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10         o Accessories: 2-slot AA Battery Charger with 1 pc. AA         Rechargeable Battery         5.         Battery Charger         - LED charging status indicators         - Automatic switch-off         - Charges 1-2 NIMH AA or AAA batteries at a time         - Includes 2pcs. AA Rechargeable Battery         6.       AA Rechargeable Batteries         - 1 pack (2 pcs.) AA Form Factor         - 2000mAh Pre-Charged Battery         7.       Ergonomic Office Chair         Features: upper-flexible nylon inner frame that twists with your body and a 3D dynamic backrest that provides optimal support for the ultimate sitting experience         Specs:       - 4D adjustable armrests         - Lumbar support       -         - Multi-function mechanism with back-recline and tilt-lock feature (locks at 4 different angles)         - Seat-silding function         - 2D adjustable headrest         - 125 kg load capacity <t< td=""><td></td><td></td><td></td></t<>			
o Sensor: Optical       o Resolution: 1200 DPl         o Report Rate: 125Hz       Ut         o Buttons No.: 3       o Receiver: Nano USB Receiver         o Battery: 1 AA Alkaline Battery       o Net Weight:83 g (w/ battery)         o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10       o Accessories: 2-slot AA Battery Charger with 1 pc. AA         Rechargeable Battery       5.         Battery Charger       LED charging status indicators         - Automatic switch-off       Un         - Charges 1-2 NIMH AA or AAA batteries at a time       -         - Includes 2pcs. AA Rechargeable Battery       0         6.       AA Rechargeable Batteries       -         - 1 pack (2 pcs.) AA Form Factor       Un         - 2000mAh Pre-Charged Battery       Un         7.       Ergonomic Office Chair       Features: upper-flexible nylon inner frame that twists with your body and a 3D dynamic backrest that provides optimal support for the ultimate sitting experience       Specs:         - 4D adjustable armrests       Un         - Lumbar support       Un         - Multi-function mechanism with back-recline and tilt-lock feature (locks at 4 different angles)       - Seat-silding function         - 2D adjustable headrest       - 125 kg load capacity       4.         8.       Dehumildifier Machine       Un			
o Resolution: 1200 DPI       o Report Rate: 125Hz       Unitial State S			
o Report Rate: 125Hz       Units on the second	1		
<ul> <li>o Buttons No.: 3</li> <li>o Buttons No.: 3</li> <li>o Receiver: Nano USB Receiver</li> <li>o Battery: 1 AA Alkaline Battery</li> <li>o Net Weight:83 g (w/ battery)</li> <li>o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10</li> <li>o Accessories: 2-slot AA Battery Charger with 1 pc. AA</li> <li>Rechargeable Battery</li> <li>5. Battery Charger</li> <li>LED charging status indicators</li> <li>- Automatic switch-off</li> <li>Charges 1-2 NiMH AA or AAA batteries at a time</li> <li>- Includes 2pcs. AA Rechargeable Battery</li> <li>6. AA Rechargeable Batteries</li> <li>- 1 pack (2 pcs.) AA Form Factor</li> <li>- 2000mAh Pre-Charged Battery</li> <li>7. Ergonomic Office Chair</li> <li>Features: upper-flexible nylon inner frame that twists with your body and a 3D dynamic backrest that provides optimal support for the ultimate sitting experience</li> <li>Specs:</li> <li>- 4D adjustable armrests</li> <li>- Lumbar support</li> <li>- Multi-function mechanism with back-recline and tilt-lock feature (locks at 4 different angles)</li> <li>- Seat-silding function</li> <li>- 2D adjustable headrest</li> <li>- 125 kg load capacity</li> </ul>	nit 2		
<ul> <li>o Receiver: Nano USB Receiver</li> <li>o Battery: 1 AA Aikaline Battery</li> <li>o Net Weight:83 g (w/ battery)</li> <li>o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10</li> <li>o Accessories: 2-slot AA Battery Charger with 1 pc. AA</li> <li>Rechargeable Battery</li> <li>5. Battery Charger</li> <li>LED charging status indicators</li> <li>Automatic switch-off</li> <li>Un</li> <li>Charges 1-2 NiMH AA or AAA batteries at a time</li> <li>Includes 2pcs. AA Rechargeable Battery</li> <li>6. AA Rechargeable Batteries</li> <li>1 pack (2 pcs.) AA Form Factor</li> <li>2000mAh Pre-Charged Battery</li> <li>7. Ergonomic Office Chair</li> <li>Features: upper-flexible nylon inner frame that twists with your body and a 3D dynamic backrest that provides optimal support for the ultimate sitting experience</li> <li>Specs:</li> <li>4D adjustable amrests</li> <li>Lumbar support</li> <li>Multi-function mechanism with back-recline and tilt-lock feature (locks at 4 different angles)</li> <li>Seat-Siding function</li> <li>2D adjustable headrest</li> <li>125 kg load capacity</li> <li>8. Dehumidifier Machine</li> </ul>	. 2		
<ul> <li>o Battery: 1 AA Alkaline Battery</li> <li>o Net Weight:83 g (w/ battery)</li> <li>o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10</li> <li>o Accessories: 2-slot AA Battery Charger with 1 pc. AA</li> <li>Rechargeable Battery</li> <li>5. Battery Charger</li> <li>- LED charging status indicators</li> <li>- Automatic switch-off</li> <li>- Reverse polarity detection</li> <li>- Charges 1-2 NIMH AA or AAA batteries at a time</li> <li>- Includes 2pcs. AA Rechargeable Battery</li> <li>6. AA Rechargeable Batteries</li> <li>- 1 pack (2 pcs.) AA Form Factor</li> <li>- 2000mAh Pre-Charged Battery</li> <li>7. Ergonomic Office Chair</li> <li>Features: upper-flexible nylon inner frame that twists with your body and a 3D dynamic backrest that provides optimal support for the ultimate sitting experience</li> <li>Specs:</li> <li>- 4D adjustable armrests</li> <li>- Lumbar support</li> <li>- Multi-function mechanism with back-recline and tilt-lock feature (locks at 4 different angles)</li> <li>- Seat-sliding function</li> <li>- 2D adjustable headrest</li> <li>- 125 kg load capacity</li> </ul>			
<ul> <li>o Net Weight:83 g (w/ battery)</li> <li>o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10</li> <li>o Accessories: 2-slot AA Battery Charger with 1 pc. AA</li> <li>Rechargeable Battery</li> <li>5. Battery Charger <ul> <li>LED charging status indicators</li> <li>Automatic switch-off</li> <li>Bettery Diarges 1-2 NiMH AA or AAA batteries at a time</li> <li>Includes 2pcs. AA Rechargeable Battery</li> </ul> </li> <li>6. AA Rechargeable Batteries <ul> <li>1 pack (2 pcs.) AA Form Factor</li> <li>2000mAh Pre-Charged Battery</li> </ul> </li> <li>7. Ergonomic Office Chair <ul> <li>Features: upper-flexible nylon inner frame that twists with your body and a 3D dynamic backrest that provides optimal support <ul> <li>for the ultimate sitting experience</li> <li>Specs:</li> <li>4D adjustable armrests</li> <li>Lumbar support</li> <li>Multi-function mechanism with back-recline and tilt-lock</li> <li>feature (locks at 4 different angles)</li> <li>Seat-sliding function</li> <li>2D adjustable headrest</li> <li>125 kg load capacity</li> </ul> </li> </ul></li></ul>			
o Accessories: 2-slot AA Battery Charger with 1 pc. AA         Rechargeable Battery         5. Battery Charger         - LED charging status indicators         - Automatic switch-off         - Reverse polarity detection         - Charges 1-2 NiMH AA or AAA batteries at a time         - Includes 2pcs. AA Rechargeable Battery         6. AA Rechargeable Batteries         - 1 pack (2 pcs.) AA Form Factor         - 2000mAh Pre-Charged Battery         7. Ergonomic Office Chair         Features: upper-flexible nylon inner frame that twists with your         body and a 3D dynamic backrest that provides optimal support         for the ultimate sitting experience         Specs:         - 4D adjustable armrests         - Lumbar support         - Multi-function mechanism with back-recline and tilt-lock         feature (locks at 4 different angles)         - Seat-sliding function         - 2D adjustable headrest         - 125 kg load capacity			
Rechargeable Battery         5. Battery Charger         LED charging status indicators         Automatic switch-off         Reverse polarity detection         Charges 1-2 NiMH AA or AAA batteries at a time         Includes 2pcs. AA Rechargeable Battery         6. AA Rechargeable Batteries         - 1 pack (2 pcs.) AA Form Factor         - 2000mAh Pre-Charged Battery         7. Ergonomic Office Chair         Features: upper-flexible nylon inner frame that twists with your         body and a 3D dynamic backrest that provides optimal support         for the ultimate sitting experience         Specs:         - 4D adjustable armrests         - Lumbar support         - Multi-function mechanism with back-recline and tilt-lock         feature (locks at 4 different angles)         - Seat-sliding function         - 2D adjustable headrest         - 125 kg load capacity			
5. Battery Charger       . LED charging status indicators         - Automatic switch-off       . With the construction on the const		1	
LED charging status indicators     Automatic switch-off     Reverse polarity detection     Charges 1-2 NiMH AA or AAA batteries at a time     Includes 2pcs. AA Rechargeable Battery      AA Rechargeable Batteries     1 pack (2 pcs.) AA Form Factor     2000mAh Pre-Charged Battery      Features: upper-flexible nylon inner frame that twists with your     body and a 3D dynamic backrest that provides optimal support     for the ultimate sitting experience     Specs:         - 4D adjustable armrests         Lumbar support         - Multi-function mechanism with back-recline and tilt-lock     feature (locks at 4 different angles)         - Seat-sliding function         - 2D adjustable headrest         - 125 kg load capacity			
<ul> <li>Automatic switch-off</li> <li>Reverse polarity detection</li> <li>Charges 1-2 NiMH AA or AAA batteries at a time</li> <li>Includes 2pcs. AA Rechargeable Battery</li> <li>AA Rechargeable Batteries</li> <li>1 pack (2 pcs.) AA Form Factor</li> <li>2000mAh Pre-Charged Battery</li> <li>Ergonomic Office Chair</li> <li>Features: upper-flexible nylon inner frame that twists with your</li> <li>body and a 3D dynamic backrest that provides optimal support</li> <li>for the ultimate sitting experience</li> <li>Specs:</li> <li>4D adjustable armrests</li> <li>Lumbar support</li> <li>Multi-function mechanism with back-recline and tilt-lock</li> <li>feature (locks at 4 different angles)</li> <li>Seat-sliding function</li> <li>2D adjustable headrest</li> <li>125 kg load capacity</li> </ul>	1		
Reverse polarity detection     Charges 1-2 NiMH AA or AAA batteries at a time     Includes 2pcs. AA Rechargeable Battery      AA Rechargeable Batteries     1 pack (2 pcs.) AA Form Factor     2000mAh Pre-Charged Battery      Fergonomic Office Chair     Features: upper-flexible nylon inner frame that twists with your     body and a 3D dynamic backrest that provides optimal support     for the ultimate sitting experience     Specs:         -4D adjustable armrests         Lumbar support         -Multi-function mechanism with back-recline and tilt-lock     feature (locks at 4 different angles)         -Seat-sliding function         -2D adjustable headrest         -125 kg load capacity			
Charges 1-2 NiMH AA or AAA batteries at a time     Includes 2pcs. AA Rechargeable Battery      AA Rechargeable Batteries     1 pack (2 pcs.) AA Form Factor     2000mAh Pre-Charged Battery      Fegonomic Office Chair     Features: upper-flexible nylon inner frame that twists with your     body and a 3D dynamic backrest that provides optimal support     for the ultimate sitting experience     Specs:         - 4D adjustable armrests         Lumbar support         - Multi-function mechanism with back-recline and tilt-lock     feature (locks at 4 different angles)         - Seat-sliding function         - 2D adjustable headrest         - 125 kg load capacity      B. Dehumidifier Machine	nit 2		
Includes 2pcs. AA Rechargeable Battery     AA Rechargeable Batteries     1 pack (2 pcs.) AA Form Factor     2000mAh Pre-Charged Battery     Fergonomic Office Chair     Features: upper-flexible nylon inner frame that twists with your     body and a 3D dynamic backrest that provides optimal support     for the ultimate sitting experience     Specs:         -4D adjustable armrests         Lumbar support         -Kultifunction mechanism with back-recline and tilt-lock     feature (locks at 4 different angles)         -Seat-sliding function         -2D adjustable headrest         -125 kg load capacity     8. Dehumidifier Machine	1		
- 1 pack (2 pcs.) AA Form Factor     2000mAh Pre-Charged Battery      Features: upper-flexible nylon inner frame that twists with your     body and a 3D dynamic backrest that provides optimal support     for the ultimate sitting experience     Specs:         - 4D adjustable armrests         Lumbar support         - Multi-function mechanism with back-recline and tilt-lock     feature (locks at 4 different angles)         - Seat-sliding function         2D adjustable headrest         - 125 kg load capacity          B. Dehumidifier Machine			
- 2000mAh Pre-Charged Battery      Frequence Control Conterol Contrel Control Control Contecontrol Control Control Contro			
<ul> <li>Fregonomic Office Chair <ul> <li>Features: upper-flexible nylon inner frame that twists with your body and a 3D dynamic backrest that provides optimal support for the ultimate sitting experience</li> <li>Specs: <ul> <li>4D adjustable armrests</li> <li>Lumbar support</li> <li>Multi-function mechanism with back-recline and tilt-lock feature (locks at 4 different angles)</li> <li>Seat-sliding function</li> <li>2D adjustable headrest</li> <li>125 kg load capacity</li> </ul> </li> </ul></li></ul>	nit 2		
Features: upper-flexible nylon inner frame that twists with your         body and a 3D dynamic backrest that provides optimal support         for the ultimate sitting experience         Specs:         - 4D adjustable armrests         - Lumbar support         - Multi-function mechanism with back-recline and tilt-lock         feature (locks at 4 different angles)         - Seat-sliding function         - 2D adjustable headrest         - 125 kg load capacity			
body and a 3D dynamic backrest that provides optimal support for the ultimate sitting experience Specs: - 4D adjustable armrests - Lumbar support - Multi-function mechanism with back-recline and tilt-lock feature (locks at 4 different angles) - Seat-sliding function - 2D adjustable headrest - 125 kg load capacity 8. Dehumidifier Machine			
for the ultimate sitting experience Specs: - 4D adjustable armrests - Lumbar support - Multi-function mechanism with back-recline and tilt-lock feature (locks at 4 different angles) - Seat-sliding function - 2D adjustable headrest - 125 kg load capacity 8. Dehumidifier Machine			
Specs: - 4D adjustable armrests - Lumbar support - Multi-function mechanism with back-recline and tilt-lock feature (locks at 4 different angles) - Seat-sliding function - 2D adjustable headrest - 125 kg load capacity 8. Dehumidifier Machine			
- 4D adjustable armrests     - Lumbar support     - Multi-function mechanism with back-recline and tilt-lock     feature (locks at 4 different angles)     - Seat-sliding function     - 2D adjustable headrest     - 125 kg load capacity      8. Dehumidifier Machine			
Lumbar support     Multi-function mechanism with back-recline and tilt-lock     feature (locks at 4 different angles)         - Seat-sliding function         - 2D adjustable headrest         - 125 kg load capacity     8. Dehumidifier Machine			
feature (locks at 4 different angles) - Seat-sliding function - 2D adjustable headrest - 125 kg load capacity 8. Dehumidifier Machine	nit 1		
- Seat-sliding function     - 2D adjustable headrest     - 125 kg load capacity 8. Dehumidifier Machine			
- 2D adjustable headrest     - 125 kg load capacity     8. Dehumidifier Machine			
- 125 kg load capacity 8. Dehumidifier Machine	1		
8. Dehumidifier Machine			
			+
Power: 240W Dimensions: 256 x 415 x 203 mm			
Features:			
-Drying Function			
-Full Water Tank Indicator	nit 1		
-24 HR Timer with LED Display	nit 1		
-Portable	nit 1		
-Collects a total of 1.5L of water for a 27 sqm area	nit 1		
Silent Dehumidification at <42dB	nit 1		
	nit 1		
niban Drive, Naga City, Camarines Sur, Philippines	nit 1		
No - (054) 871-5611 - Telelay No * (054) 6/1-2004	nit 1		
5/Onia gov nh • Website: www.region5.nia.gov.ph • HN: 000910415110	nit 1		
0 V-AFD-ADM-INT-Form34 Rev06	nit 1		



#### UFFICE OF THE PRESIDENT NATIONAL IRRIGATION ADMINISTRATION REGIONAL OFFICE NO. V (BICOL REGION)



Contraction of the local		AND DESCRIPTION OF THE REPORT	Provide Contraction of Automation of Contraction of	NATION CONTRACTOR	 Participation and a second second second
	TOTAL AMOUNT (in figures)				
	TOTAL AMOUNT (in words)				

After having carefully read and accepted the Request for Quotation including all supporting documents, we are submitting the above-mentioned price quotation.

NOTE: Subject to 5% VAT and 1% deduction per RA 9337 implemented on February, 2005

Name & Signature of Owner/Authorized Representative

Position in print of Owner/Representative

Cellphone No. and Email Address

Date

Penganiban Drive, Naga City, Camarines Sur, Philippines Telephone No.: (054) 871-5611 • Telefax No.: (054) 871-5604 Email r5@nia.gov.ph • Website: www.region5.nia.gov.ph • TIN: 000916415116 NIA-RO V-AFD-ADM-INT-Form34 Rev06





#### "Public of the Philippines **OFFICE OF THE PRESIDENT** NATIONAL IRRIGATION ADMINISTRATION **REGIONAL OFFICE NO. V (BICOL REGION)**



March 3, 2025

#### **REQUEST FOR QUOTATION** Supply and Delivery of ICT Equipment and Office Equipment for COA at NIA Regional Office 5, Naga City PR No.: 2025-02-0036 Quotation/Bid No. MOOE(24)-RO-015-25

The MANAGER HYPERTECH COMPUTERS **Diversion Road**, Naga City

#### Sir/Madam;

Please quote your lowest price on a CHARGE BASIS for the job/items listed below the space provided and drop this FORM duly accomplished, SEALED and addressed to the BAC Chairperson at the bidding box located at NIA Regional Office 5 Conference Room, Panganiban Drive, Naga City not later than 9:10 AM of March 7, 2025 with an ABC of # 116,000.00 after which bids will be publicly opened using the RIRR of RA 9184 otherwise known as Government Procurement Act and the Philippine Bidding Documents (PBD).

We presume your offer is NEW as specified below unless otherwise indicated. Price quotation must be firm and valid for at least thirty (30) days from the opening of bids. NIA reserves the right to reject any or all bids, to waive any minor defect/s or informalities herein and to make such award most advantageous to NIA.

#### **TERMS and CONDITIONS:**

- 1. All entries must be type written or legibly written.
- 2. Delivery period within 60 CD upon receipt of approved purchase order. Admin penalties pursuant to Sec. 69 of the RIRR of 9184 shall be imposed for non-delivery without valid reason.
- 3. Warranty shall be for a minimum of 3 months for supplies, materials, one year for equipment from date of acceptance.
- 4. Documentary requirements shall be attached upon submission of quotation.
- 5. All items shall be procured as "one lot".
- Liquidated Damages pursuant to Sec. 68 of the RIRR of RA 9184 shall be imposed for non-delivery without valid 6. reason.
- 7.
- Performance bond: Yes \_\_\_\_; No \_\_\_\_; Incomplete Quotation shall be declared non-responsive. 8.

Mode of Procurement: Small Value Procurement

#### **Documentary Requirements:**

- 1. PhilGEPS Registration Number or Certificate.
- 2. **Updated Mayor's Permit**
- 3. Notarized Omnibus Sworn Statement (Prescribed Form)
- Income Business Tax Return (For ABCs 500,000.00 above). 4.
- 5. Notarized Secretary's Certificate (for Corporation).



ITEM & DESCRIPTION	BRAND/ MODEL	UNIT	QTY	UNIT	TOTAL PRICE
1. DESKTOP COMPUTER					
Specs:					
o Processor: Intel Core i7 13th Generation 16C/24T					
o Memory: 8GB DDR4					
o Chipset: Intel H610					
o Graphics: Integrated Intel UHD 770 Graphics					
o Display: 23.8-inch FHD IPS 100Hz					1.1
o Storage: 256GB NVMe SSD + 1TB 7200rpm HDD					1.
o Accessories: Wired Keyboard and Wired Mouse (Same Brand)		unit	1		
o Network: Wireless LAN 802.11 ac/b/g/n, Gigabit Ethernet,					
Bluetooth 5.0				1.1.4.1.4.5.5	
o Front Ports: 1x Card Reader; 2x Audio Jack; 1x USB 3.2 Gen1				1.1.1.1.1.1.1	
Type A; 1x USB 3.2 Gen 1 Type C				1.202	
o Rear Ports: 2x HDMI; 3x Audio Jack; 4x USB 2.0 Ports; 1x USB					
3.2 Gen1 Type A				1.1.2.2	
o Included Software: Windows 11, Licensed Microsoft Office					
o with 650VA Uninterruptible Power Supply (UPS)					

Panganiban Drive, Naga Gity, Camarines Sur, Philippines Telephone No.: (054) 871-5611 • Telefax No.: (054) 871-5604 Email r5@nia.gov.ph • Website: www.region5.nia.gov.ph • TIN: 000916415116 NIA-RO V-AFD-ADM-INT-Form34 Rev06



### -----ppines

ŝ

· \* · .

In



NATIONAL IRRIGATION ADMINISTRATION REGIONAL OFFICE NO. V (BICOL REGION)

2. Wired USB Keyboard			T
o Spill-resistant design Tested under limited conditions			
o spin-resistant design rested under limited conditions			
(maximum of 60 ml liquid spillage)			
o 10-Key Number pad			
o Caps lock indicator light	Unit	1	
o Num lock indicator light			
o Up to 10 million keystrokes (excludes number lock key)			
o Key type: Deep profile			
o Connection: USB			
3. UPS 650VA			
o MAX CONFIGURABLE POWER (Watts): 375 Watts / 650VA			
o OUTPUT FREQUENCY (Sync to mains): 50/60 Hz +/- 1 Hz	1		
Unsynchronised			
o OUTPUT CONNECTION TYPE: 4 Universal Receptacle			
o TOPOLOGY: Line interactive			
o INPUT FREQUENCY: 50/60 Hz +/- 5 Hz Auto-sensing		-	
O INPUT VOLTAGE RANGE FOR MAIN OPERATIONS: 170 - 280V	Unit	7	
o NUMBER OF POWER CORDS: 1			
o BATTERY TYPE: Lead-acid battery			
o TYPICAL RECHARGE TIME: 8 hour(s)			
o NOMINAL BATTERY VOLTAGE: 12 V			
o BATTERY CAPCITY: 7.0 Ah			
o EXPECTED BATTERY LIFE : 3 – 5 years			
4. Wireless Mouse			
o Type: Wireless			
o Connection: 2.4GHz			
o Operating Range: 10-15m			
o Ergonomic Design: Symmetric			
o Sensor: Optical			
o Resolution: 1200 DPI			
o Report Rate: 125Hz	Unit	2	
o Buttons No.: 3	Ont	-	
o Receiver: Nano USB Receiver			
o Battery: 1 AA Alkaline Battery			
o Net Weight:83 g (w/ battery)			
o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10			
o Accessories: 2-slot AA Battery Charger with 1 pc. AA			
Rechargeable Battery			
5. Battery Charger			
<ul> <li>LED charging status indicators</li> </ul>		1	
- Automatic switch-off	Unit	2	
- Reverse polarity detection	Onic	-	
<ul> <li>Charges 1-2 NiMH AA or AAA batteries at a time</li> </ul>			
- Includes 2pcs. AA Rechargeable Battery			
6. AA Rechargeable Batteries			
- 1 pack (2 pcs.) AA Form Factor	Unit	2	
- 2000mAh Pre-Charged Battery			
7. Ergonomic Office Chair			
Features: upper-flexible nylon inner frame that twists with your			
body and a 3D dynamic backrest that provides optimal support			
for the ultimate sitting experience			
Specs:			
- 4D adjustable armrests			
- Lumbar support	Unit	1	
- Multi-function mechanism with back-recline and tilt-lock			
feature (locks at 4 different angles)			
- Seat-sliding function			
- 2D adjustable headrest			
- 125 kg load capacity			
8. Dehumidifier Machine			
Power: 240W			
Dimensions: 256 x 415 x 203 mm			
Features:			
-Drying Function			
-Auto Mode Function	Unit	1	
-Full Water Tank Indicator		_	
-24 HR Timer with LED Display			
-Portable			
-Collects a total of 1.5L of water for a 27 sqm area			
silent Dehumidification at <42dB			
iban Drive, Naga City, Camarines Sur, Philippines		回影怒	
ne No.: (054) 871-5611 • Telefax No.: (054) 871-5604 @nia.gov.ph • Website: www.region5.nia.gov.ph • TIN: 000916415116		10.2	
		the second second second second	

Master Doc ID:





TOTAL AMOUNT (in figures)			
TOTAL AMOUNT (in words)			

After having carefully read and accepted the Request for Quotation including all supporting documents, we are submitting the above-mentioned price quotation.

NOTE: Subject to 5% VAT and 1% deduction per RA 9337 implemented on February, 2005

Name & Signature of Owner/Authorized Representative

Position in print of Owner/Representative

Cellphone No. and Email Address

Date



**Republic of the Philippines OFFICE OF THE PRESIDENT** NATIONAL IRRIGATION ADMINISTRATION **REGIONAL OFFICE NO. V (BICOL REGION)** 



March 3, 2025

#### **REQUEST FOR QUOTATION**

Supply and Delivery of ICT Equipment and Office Equipment for COA at NIA Regional Office 5, Naga City PR No.: 2025-02-0036 Quotation/Bid No. MOOE(24)-RO-015-25

The MANAGER PCWORX Elias Angeles, Naga, Camarines Sur

Sir/Madam;

Please quote your lowest price on a CHARGE BASIS for the job/items listed below the space provided and drop this FORM duly accomplished, SEALED and addressed to the BAC Chairperson at the bidding box located at NIA Regional Office 5 Conference Room, Panganiban Drive, Naga City not later than 9:10 AM of March 7, 2025 with an ABC of # 116,000.00 after which bids will be publicly opened using the RIRR of RA 9184 otherwise known as Government Procurement Act and the Philippine Bidding Documents (PBD).

We presume your offer is NEW as specified below unless otherwise indicated. Price quotation must be firm and valid for at least thirty (30) days from the opening of bids. NIA reserves the right to reject any or all bids, to waive any minor defect/s or informalities herein and to make such award most advantageous to NIA.

TERMS and CONDITIONS:

- 1. All entries must be type written or legibly written.
- 2. Delivery period within 60 CD upon receipt of approved purchase order. Admin penalties pursuant to Sec. 69 of the RIRR of 9184 shall be imposed for non-delivery without valid reason.
- Warranty shall be for a minimum of 3 months for supplies, materials, one year for equipment from date of 3. acceptance.
- 4. Documentary requirements shall be attached upon submission of quotation.
- 5. All items shall be procured as "one lot".
- 6. Liquidated Damages pursuant to Sec. 68 of the RIRR of RA 9184 shall be imposed for non-delivery without valid reason.
- 7. Performance bond: Yes \_ ; No 🖌 8. Incomplete Quotation shall be declared non-responsive.

Mode of Procurement: Small Value Procurement

**Documentary Requirements:** 

- 1. PhilGEPS Registration Number or Certificate.
- 2. Updated Mayor's Permit
- 3. Notarized Omnibus Sworn Statement (Prescribed Form)
- 4. Income Business Tax Return (For ABCs 500,000.00 above). 5.
- Notarized Secretary's Certificate (for Corporation).



	ITEM & DESCRIPTION	BRAND/ MODEL	UNIT	QTY	UNIT PRICE	TOTAL PRICE
1.	DESKTOP COMPUTER					
	Specs:					
	o Processor: Intel Core i7 13th Generation 16C/24T	·				
	o Memory: 8GB DDR4					
	o Chipset: Intel H610					
	o Graphics: Integrated Intel UHD 770 Graphics					
	o Display: 23.8-inch FHD IPS 100Hz					
	o Storage: 256GB NVMe SSD + 1TB 7200rpm HDD					
	o Accessories: Wired Keyboard and Wired Mouse (Same Brand)		unit	1		
	o Network: Wireless LAN 802.11 ac/b/g/n, Gigabit Ethernet,					
	Bluetooth 5.0					
	o Front Ports: 1x Card Reader; 2x Audio Jack; 1x USB 3.2 Gen1					1.0
	Type A; 1x USB 3.2 Gen 1 Type C		1.1.1.1.1.1.1	1		
	o Rear Ports: 2x HDMI; 3x Audio Jack; 4x USB 2.0 Ports; 1x USB					
	3.2 Gen1 Type A					
	o Included Software: Windows 11, Licensed Microsoft Office				1.1.1	
1	o with 650VA Uninterruptible Power Supply (UPS)				1	1

Panganiban Drive, Naga City, Camarines Sur, Philippines Telephone No.: (054) 871-5611 • Telefay No.: (054) 871-5604 Email r5@nia.gov.ph • Website: www.region5.nia.gov.ph • TIN: 000916415116 NIA-RO V-AFD-ADM-INT-Form34 Rev06





0(	Republic of the Philippines OFFICE OF THE PRESIDENT NATIONAL IRRIGATION ADMINISTRATION REGIONAL OFFICE NO. V (BICOL REGION)	
2.	Wired USB Keyboard o Spill-resistant design Tested under limited conditions (maximum of 60 ml liquid spillage) o 10-Key Number pad	

211



...

	(maximum of 60 ml liquid spillage) o 10-Key Number pad				
	o Caps lock indicator light	Unit	1		
	o Num lock indicator light		-		
	o Up to 10 million keystrokes (excludes number lock key)				
	o Key type: Deep profile			-	
	o Connection: USB				
3.	UPS 650VA				1
	o MAX CONFIGURABLE POWER (Watts): 375 Watts / 650VA				
	o OUTPUT FREQUENCY (Sync to mains): 50/60 Hz +/- 1 Hz Unsynchronised				
	o OUTPUT CONNECTION TYPE: 4 Universal Receptacle				
	o TOPOLOGY: Line interactive				
	o INPUT FREQUENCY: 50/60 Hz +/- 5 Hz Auto-sensing	Unit	7		
	O INPUT VOLTAGE RANGE FOR MAIN OPERATIONS: 170 - 280V				
	o NUMBER OF POWER CORDS: 1 o BATTERY TYPE: Lead-acid battery				
	o TYPICAL RECHARGE TIME: 8 hour(s)				
	O NOMINAL BATTERY VOLTAGE: 12 V				
	o BATTERY CAPCITY: 7.0 Ah				197200
	o EXPECTED BATTERY LIFE : 3 – 5 years				
4.	Wireless Mouse o Type: Wireless				
	o Connection: 2.4GHz				
	o Operating Range: 10-15m				
	o Ergonomic Design: Symmetric				
	o Sensor: Optical o Resolution: 1200 DPI				
	o Report Rate: 125Hz	Unit	2		
	o Buttons No.: 3				
	o Receiver: Nano USB Receiver				
	o Battery: 1 AA Alkaline Battery o Net Weight:83 g (w/ battery)				
	o System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10				
	o Accessories: 2-slot AA Battery Charger with 1 pc. AA				
	Rechargeable Battery				
5.	Battery Charger - LED charging status indicators				
	- Automatic switch-off	Unit	2		
	- Reverse polarity detection	Unit.	-		
	- Charges 1-2 NiMH AA or AAA batteries at a time     - Includes 2pcs. AA Rechargeable Battery			1	
6.	AA Rechargeable Batteries				
	- 1 pack (2 pcs.) AA Form Factor	Unit	2		
	- 2000mAh Pre-Charged Battery				
7.	Ergonomic Office Chair				
	Features: upper-flexible nylon inner frame that twists with your body and a 3D dynamic backrest that provides optimal support				
	for the ultimate sitting experience				
	Specs:				
	- 4D adjustable armrests	Unit	1		
	<ul> <li>Lumbar support</li> <li>Multi-function mechanism with back-recline and tilt-lock</li> </ul>				
1942	feature (locks at 4 different angles)				
	- Seat-sliding function				
	- 2D adjustable headrest			1.1.1.1.1	
8.	- 125 kg load capacity Dehumidifier Machine				
0.	Power: 240W				
	Dimensions: 256 x 415 x 203 mm				
	Features:				100
	-Drying Function	Unit	1		
	-Auto Mode Function -Full Water Tank Indicator	Unit	•		
	-Full Water Tank Indicator -24 HR Timer with LED Display				
No. 1	-Portable				
	Collects a total of 1.5L of water for a 27 sqm area				
	Silent Dehumidification at <42dB				1
Carlos -					
niban Dri	ve, Naga Gity, Camarines Sur, Philippines 054) 871-5611 • Telefax No.: (054) 871-5604		5000		1



1 1.12

.

#### Republic of the Philippines OFFICE OF THE PRESIDENT NATIONAL IRRIGATION ADMINISTRATION REGIONAL OFFICE NO. V (BICOL REGION)



TOTAL AMOUNT (in figures)			
TOTAL AMOUNT (in words)			

After having carefully read and accepted the Request for Quotation including all supporting documents, we are submitting the above-mentioned price quotation.

NOTE: Subject to 5% VAT and 1% deduction per RA 9337 implemented on February, 2005

Name & Signature of Owner/Authorized Representative

Position in print of Owner/Representative

Cellphone No. and Email Address

Date

Panganiban Drive, Naga City, Camarines Sur, Philippines Telephone No.: (054) 871-5611 • Telefax No.: (054) 871-5604 Email r5@nia.gov.ph • Website: www.region5.nia.gov.ph • TIN: 000916415116 NIA-RO V-AFD-ADM-INT-Form34 Rev06

